

Contents

Abstract	iii
Resumen	v
1 Introduction	1
Cristina Verde	
1.1 Background and motivation	1
1.2 Fault detection and tolerant control	4
1.2.1 On-line supervision	4
1.2.2 Diagnosis process	6
1.3 Structure and monograph content	7
References	9
2 Intelligent Control System for High Speed Machining	11
Antonio Jr. Vallejo Guevara, Ricardo A. Ramírez Mendoza and Ruben Morales-Menendez	
2.1 Introduction	11
2.2 State of the Art	12
2.2.1 High-Speed Machining	12
2.2.2 Surface Roughness (<i>Ra</i>) Modeling	14
2.2.3 Cutting Tool Wear Condition (<i>CTWC</i>) Modeling	15
2.3 Experimental Set Up	17
2.4 Experimental Database	17
2.4.1 Surface Roughness Database	20
2.4.2 Cutting Tool Wear Condition Database	22
2.5 Intelligent Control System	23
2.5.1 Data Acquisition Module	23
2.5.2 Cutting tool Module	24
2.5.3 Surface Roughness Module	24
2.5.4 Planning Module	24
2.6 Results	26
2.6.1 Surface Roughness Modeling	26

2.6.2	Cutting Tool Wear Condition Modeling	28
2.6.3	Off-line Optimization	30
2.6.4	Machining Policy	31
2.7	Conclusions	32
References		35
3	Experimental results of fault isolation approach for a 2-DOF helicopter	39
Manuel Alejandro Zuñiga, Luis Alejandro Ramírez, Gerardo Romero Galvan, Efraín Alcorta García, and Aldo J. Muñoz Vázquez		
3.1	Introduction	39
3.2	Preliminaries	40
3.2.1	Generalized Hamiltonian systems	40
3.2.2	Fault isolation schema	41
3.3	Helicopter with two degrees of freedom	41
3.3.1	Hamiltonian representation	42
3.3.2	Fault Modeling	43
3.4	Fault isolation for a 2-DOF Helicopter	46
3.4.1	Residual Generator Design	46
3.5	Experimental results	48
3.5.1	Fault scenarios and experimental results	50
3.6	Conclusion	51
References		53
4	Buck-boost converter fault diagnosis for an EDF-100 distillation pilot plant	55
Mario Heras Cervantes, Adriana del Carmen Téllez Anguiano, and Juan Anzures Marin		
4.1	Introduction	55
4.2	Model of a distillation column and its heating actuator	56
4.2.1	Nonlinear model of the distillation column	58
4.3	Case study: EDF-1000 distillation pilot plant	61
4.3.1	State-space model of the EDF-1000 distillation pilot plant	61
4.3.2	EDF-1000 heating actuator scheme and model	62
4.4	Observers design	67
4.4.1	Takagi-Sugeno fuzzy observer	68
4.4.2	Sliding-Mode fuzzy observer	69
4.4.3	Sliding-Mode Takagi-Sugeno fuzzy observer	70
4.5	Design of the sliding-mode Takagi-Sugeno fuzzy observer for the boiler heating actuator	70
4.5.1	Validation of the sliding-mode Takagi-Sugeno fuzzy observer for the heating actuator	71
4.5.2	Fault detection for the boiler heating actuator	73
4.6	Experimental validation of the FDI system	75
4.6.1	Test 1: Load decrease	76
4.6.2	Test 2: Input voltage decrease	77

4.6.3	Test 3: Simultaneous faults	79
4.7	Conclusions	80
References		83
5	Adaptive multivariate degradation model for remaining useful life prediction	85
Adriana Villalón Falcón, Alberto Prieto Moreno, Marcos Quiñones-Grueiro, and Orestes Llanes-Santiago		
5.1	Introduction	86
5.2	Performance metric	89
5.2.1	Proposed performance metric	89
5.3	Procedure for RUL prediction	91
5.3.1	Preprocessing	93
5.3.2	Degradation modeling	94
5.3.3	RUL prediction	100
5.3.4	On-line procedure	104
5.4	Application of the proposal	104
5.4.1	Case study	105
5.4.2	Preprocessing	105
5.4.3	Model training	106
5.4.4	Model validation	111
5.5	Conclusion and future work	113
References		115
6	Leak localization in water distribution networks using machine learning based on cosine features	119
Ildeberto Santos-Ruiz, Francisco-Ronay López-Estrada, Vicenç Puig, and Guillermo Valencia-Palomo		
6.1	Introduction	119
6.2	State of the art on leak localization in WDN	120
6.3	Case studies	122
6.4	Performance metrics in leak localization	125
6.4.1	Confusion matrix	125
6.4.2	Classification accuracy	126
6.4.3	Topological distance	126
6.5	Classification method based on Bayesian decision	127
6.6	Leak localization using the sensitivity matrix	129
6.7	Leak localization using k -NN with hyper-parameter optimization	131
6.8	Feature transformation in classifier-based leak localization	134
6.9	Leak localization over a time interval	141
6.10	Integrated leak localization method	142
6.11	Conclusions	145

References	147
7 LabVIEW-Based SCADA System for Sequential Leaks' Diagnosis in Pipelines	149
Rolando Carrera and Cristina Verde	
7.1 Introduction	149
7.2 Experimental Prototype Description	151
7.2.1 Prototype configuration	151
7.2.2 Topographic profile and pressure modification	152
7.2.3 Sensors and equipment	153
7.3 Diagnosis Model for Two Sequential Leaks	153
7.3.1 Sequential leak location algorithm	156
7.4 SCADA-II System for Sequential Leaks' Location	160
7.4.1 LabVIEW programming as a tool for SCADA-II implementation	160
7.4.2 Data acquisition system	161
7.4.3 The SCADA-II program	161
7.4.4 Main program	163
7.5 Conclusions	169
References	171
8 Observer-based calibration of a power-law model for head loss in pipelines	173
Lizeth Torres and Cristina Verde	
8.1 Introduction	173
8.2 Physical system and modeling	176
8.2.1 Physical system	176
8.2.2 Rigid water column model	176
8.3 Real-time calibration approach	177
8.3.1 Extended model	177
8.3.2 State observer	178
8.3.3 Persistent condition: Steady-oscillatory flow	179
8.3.4 Derivative of the flow rate measurement	179
8.4 Experiments	180
8.4.1 Steady-state flow	182
8.4.2 Steady-oscillatory flow	183
8.4.3 Tuning of the state observer	183
8.5 Analysis of the results	185
8.5.1 Model comparison	185
8.6 Relevance of head loss calibration in leak location	187
8.7 Conclusions	190
References	191
1 Glossary	193

References 197

2 Acronyms 199

3 Variable and Parameter Notation 201

This page intentionally left blank